



[Ver. 2026.07.23]

무대 기술정보 안내

STAGE TECHNICAL SPECIFICATIONS

아르코예술극장

ARKO Arts Theater

소극장

Small Hall

1. General Information



- **Black Box Stage**

- Width 11.6m
- Depth 15.4m (The distance from the entrance to the back wall of the stage)
- Depth 10m (The distance from the end of the auditorium seat to the back wall of the stage)
- Height 4.9m

※ There are amount 3 entrances when coming from the basement lobby to the stage and user can choose at least 1 entrance depending on the location of auditorium.

- **Total Auditorium seats 110**

- While the seating can be relocated, additional staff and time are required

- **Stage Manager Desk**

- There is no separate Stage Manager Desk
- Wired and wireless intercoms and walkie-talkies are available.
- The stage right passage is equipped with an infrared monitor to support performance operations.

- **All equipment and materials in the theater may only be moved with prior consultation.**

2. Working Policy

• Work schedule

	A.M	Break time	P.M	Break time	Night	Deadline
Start	09:00	12:00	13:00	17:00	18:00	22:00
End	12:00	13:00	17:00	18:00	22:00	

※ If there is a Night rental, the dinner break may be adjusted to 17:00~18:00 or 18:00~19:00, subject to consultation.

※ Clear 10 minutes before break or closing time the theater must be vacated on time.

• Safety helmet

Sortation		Place	
		Auditorium	Stage
Set up		When you work on ceiling, 2 nd Floor, balcony : Must be worn When there's no console booth or top work : Failure to wear	Must be worn
Rehearsal	Upper part and fixing focusing	Failure to wear	Must be worn
	Technical and Dress rehearsal	Failure to wear	Failure to wear
Show		Failure to wear	Failure to wear
Withdrawal		When you work on ceiling, 2 nd Floor, balcony : Must be worn When there's no console booth or top work : Failure to wear	Must be worn

• Type A ladder

- Common information

- A. It is mandatory to wear a safety helmet when working on ladders.
- B. It can only be installed on a flat, sturdy, non-slip floor.
- C. Workers must work in pairs.

- Working height (Based on the footing platform)

Height	Forbidden work
Less than that 1.2m~2m	Can't work on the top footstep
More than 2m less than 3.5m	Workers must wear a safety harness, and work is prohibited on the top and second-highest platforms.
Excess 3.5m	Do not use

• Flame Retardant Treatment of Scenery

- A test report must be submitted after flame-retardant treatment of scenic elements (issued within the last 2 years)
- A safety inspection must be conducted on site.

• Special effects - Require prior consultation with the theater.

3. Loading Dock



ARKO Arts theater Small hall entrance




The theater inner door


- **Size of the theater inner door**

- Width 1,350mm
- Height 1,950mm

- **Location** – Located in front of the lobby entrance of the ARKO Arts Theater Small Theatre



4. Lighting Grid



- It composed of a grid structure.
Grid spacing : 550mm x 550mm
- Size
 - 51Ø (Diameter 51mm)


5. Platform

※ Use is limited to the quantity available in each theatre; however, it may be transferred **between the ARKO Arts Theater Main Hall and Small Hall** with the approval of the stage manager in charge.

Standard (size : cm)	Quantity
1×2 (30×60)	4
1×3 (30×90)	4
1×6 (30×180)	4
2×2 (60×60)	4
2×3 (60×90)	4
2×4 (60×120)	4
2×6 (60×180)	4
3×3 (90×90)	4
3×4 (90×120)	4
3×6 (90×180)	10
4×6 (120×180)	10
6×6 (180×180)	5
Riser box (30×45)	50
Stairway (90×90)	0
T = 15cm	

6. Dressing Room

• Location




※ It is located in the Stage right passage.


• Facility

Dressing room	Location	Capacity	Shower facilities	Toilet	Note
1	B2 floor	10 people	○	○	
2	B2 floor	10 people	○	○	

Reference Picture



Dressing room 1



Dressing room 2