



[Ver.2026.07.23.]

무대 기술 정보 안내

STAGE TECHNICAL SPECIFICATIONS

대학로예술극장

DAEHAKRO Arts Theater

소극장

Small Hall

1. General Information



- **Black Box Stage**

- Width 11.36m (The distance between house leg tower)
- Depth 18.15m (The distance from the end of the storage auditorium seat to the back wall of the stage)
- Depth 14.75m (The distance from the end of the installed auditorium seat to the back wall of the stage)
- Height 5.4m

- **Total seating capacity seats 132**

- Motorized retractable seating (fixed location, cannot be relocated)

- **Stage Manager Desk**

- Wired and wireless intercoms, walkie-talkies and paging system are available.
- Movable monitor (infrared camera; location determined in consultation)

- **All equipment and materials in the theater may only be moved with prior consultation.**

2. Working Policy

• Work schedule

	A.M	Break time	P.M	Break time	Night	Deadline
Start	09:00	12:00	13:00	17:00	18:00	22:00
End	12:00	13:00	17:00	18:00	22:00	

※ If there is a Night rental, the dinner break may be adjusted to 17:00~18:00 or 18:00~19:00, subject to consultation.

※ Clear 10 minutes before break or closing time; the theatre must be vacated on time.

• Safety helmet

Sortation		Place	
		Auditorium	Stage
Set up		When you work on ceiling, 2 nd Floor, balcony : Must be worn When there's no console booth or top work : Failure to wear	Must be worn
Rehearsal	Upper part and fixing focusing	Failure to wear	Must be worn
	Technical and Dress rehearsal	Failure to wear	Failure to wear
Show		Failure to wear	Failure to wear
Withdrawal		When you work on ceiling, 2 nd Floor, balcony : Must be worn When there's no console booth or top work : Failure to wear	Must be worn

• Type A ladder

- Common information

- A. It is mandatory to wear a safety helmet when working on ladders.
- B. It can only be installed on a flat, sturdy, non-slip floor.
- C. Workers must work in pairs.

- Working height (Based on the footing platform)

Height	Forbidden work
Less than that 1.2m~2m	Can't work on the top footstep
More than 2m less than 3.5m	Workers must wear a safety harness, and work is prohibited on the top and second-highest platforms.
Excess 3.5m	Do not use

• Flame Retardant Treatment of Scenery

- A test report must be submitted after flame-retardant treatment of scenic elements (issued within the last 2 years)
- A safety inspection must be conducted on site.

• Special effects - Require prior consultation with the theatre.

3. Loading Dock





The outer door (Parking lot)



The inner door (B3 floor)

- The outer door size
 - Width 1,900mm
 - Height 1,800mm
 - Depth 4,000mm
- The inner door size
 - Width 1,730mm
 - Height 1,700mm
- Loading dock height : 770 mm above road level
- If materials cannot fit in the freight elevator, it can be brought in via the main entrance and lobby.
- Location – DAEHAKRO Arts Theater parking lot



4. Lighting Grid



- **Grid spacing : 550mm x 550mm**
- **Size**
 - 48Ø (Diameter 48mm)
- **12 Point Hoists (4 rows x 3 groups)**
 - Operable only after controller installation
(refer to drawing for available installation locations)
 - Load capacity : 500kg each
 - Speed : 8m/min (UP/DN)
 - Group operation available (A/B)

5. Floor Machinery



• Stage Trap



- Size 1,500mm × 1,500mm / 49 in total (7×7)
- Thickness 48mm

※ No trap lift machinery is provided below stage. If a lift is required, it must be supplied by the company.

• House Leg Tower



- Size(stage left) 2,260mm(W) × 450mm(D) × 4,870mm(H)
- Size(stage right) 2,160mm(W) × 450mm(D) × 4,870mm(H)
- Height of the pipe with the leg tower 5020mm(H)

- Steel frame covered with wool serge leg.
- Can move upstage/downstage, but cannot extend further onstage.
- It takes manpower and time to relocation.


6. Platform

※ Use is limited to the quantity available in each theatre; however, it may be transferred **between DAEHACKRO Arts theater Main Hall and Small Hall** in consultation with the stage manager in charge.

Standard (size : cm)	Quantity
1×2 (30×60)	4
1×3 (30×90)	4
1×6 (30×180)	4
2×2 (60×60)	4
2×3 (60×90)	4
2×4 (60×120)	4
2×6 (60×180)	4
3×3 (90×90)	4
3×4 (90×120)	4
3×6 (90×180)	10
4×6 (120×180)	10
6×6 (180×180)	5
Riser box (30×45)	50
Stairway (90×90)	0
T = 15cm	

7. Dressing Room

• Location




※ It is located at Stage Right.

※ The dressing room can be divided by the mid curtain.


• Facility

Dressing Room	Location	Capacity (based on dressing tables)	Shower facilities	Toilet	Note
1	B3 floor	11 people	○	○	Located stage right

Reference Picture



Dressing Room Overview



Use of Mid Curtain